English | Cymraeg

Energy performance certificate (EPC)

Unit 2 Arclite House Century Road Swindon SN5 5YN	Energy rating **B**	Valid until:	**6 July 2032**
		Certificate number:	**8944-9515-9224-0609-3076**

Property type	Offices and Workshop Businesses
Total floor area	657 square metres


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

You can read guidance for landlords on the regulations and exemptions (https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy rating and score

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built 13 A

If typical of the existing stock	**50 B**

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	4
Building emission rate (kgCO2/m2 per year)	8.52
Primary energy use (kWh/m2 per year)	90

▶ About primary energy use

Recommendation report

Guidance on improving the energy performance of this property can be found in the recommendation report (/energy-certificate/1350-6679-6670-6485-3362).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Anthony Wood
Telephone	01564 795 566
Email	tony_hibec@btconnect.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO000258
Telephone	0330 124 9660
Email	certification@stroma.com

About this assessment

Employer	HIBEC Limited
Employer address	106A High Street, Henley in Arden. Warwickshire
Assessor's declaration	The assessor is not related to the owner of the property.

Date of assessment	7 July 2022
Date of certificate	7 July 2022

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at mhclg.digital-services@communities.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

There are no related certificates for this property.

OGL

All content is available under the Open Government Licence v3.0 (https://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/), except where otherwise stated

ht (https://www.nationalarchives.gov.uk/information-management/re-using-public-sector-information/uk-government-licensing-framewor